




Technical Data	U.S. Units	Metric Units			
Cavity	T-IIA				
Body Features	(See Notes)				
Body Type	Line mount				
Interface	None				
Open Cavity Quantity					
Weight	2.047 lb.	0,929 kg.			
Mounting Hole Diameter	.34 in.	8.6 mm			
Mounting Hole Depth	Through				
Mounting Hole Quantity	2				
Includes integral cartridge(s)	Yes (see Included Components)				



		. 38
	T-IIA	3.63
	SUN hydraulics A2B	
	<date code=""></date>	2
	I G	
.31 —	C X D	A - 0 6 6 . 59






<u>Notes</u>

- 1. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

 2. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.

 3. Body Features: Ninety degree with reverse flow check, accepts standard and weatherized coils.

Port Headings					
Product	Port	Size			
A2B	Ports I & 2	3/8" NPTF			
A2B	Port 3	I/4" NPTF			
A2B	Gage Port	I/4" NPTF			



2	C X D A - X C N				CHEC	K VAL	VE	
I	174-485-002		6061-T6 ALUMI	NUM	BODY			1
T E M	PART NO.	SETTING	MATER	IAL		PART NAME		
MODEL A 2 B			ALL DIMENSIONS IN INC VIEWS ARE THIRD ANGLE			FIRST ANGLE THIRD	ANGLE	
DESCRI	T-IIA Lii (See Notes for		Apr - 18 - 24	SCALE 1.182	DWG SIZE	SHEET	aun hydrauli	ics [®]