



Technical Data	U.S. Units	Metric Units		
Cavity	T - 2 A			
Body Features	Ninety degree with rever	se flow check - reducing		
Body Type	Line mount			
Interface	None			
Open Cavity Quantity				
We i ght	I.940 lb.	0,880 kg.		
Mounting Hole Diameter	.42 in.	10,7 mm		
Mounting Hole Depth	Through			
Mounting Hole Quantity	2			
Includes integral cartridge(s)	Yes (see Included Components)			



		——————————————————————————————————————
	3	3.63
		SUN hydraulics B2K <date code=""></date>
I.06 —	I	G
. 38 —	200.00	₩ <u>π</u>




<u>Notes</u>

- 1. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

 2. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.

Port Headings				
Product	Port	Size		
B2K	Ports I & 2	SAE 10		
B2K	Port 3	SAE 6		
B2K	Gage Port	I/4" NPTF		



2	CXED-XCN				CHEC	K VAL	VE	1
I	151-021-016		6061-T6 ALUMI	NUM	BODY			I
T E M	PART NO.	SETTING	MATER	IAL		PART NAME		Q T Y
MODEL B2K		ALL DIMENSIONS IN I VIEWS ARE THIRD AN				FIRST ANGLE THIRD	ANGLE	
DESCRIP	T-2A Lin	e mount for Body Features)	Jul-17-23	SCALE 1.212	DWG SIZE	SHEET	fili hydrauli	e C S