



-3.25


DESCRIPTION

T-2A Line mount Ninety degree with shuttle

Technical Data	U.S. Units	Metric Units	
Cavity	T - 2 A		
Body Features	Ninety degree with shuttle		
Body Type	Line mount		
Interface	None		
Open Cavity Quantity	ļ		
Weight	I.224 lb.	0,555 kg.	
Mounting Hole Diameter	.41 in.	10,4 mm	
Mounting Hole Depth	Through		
Mounting Hole Quantity	2		
Includes integral cartridge(s)	Yes (see Included Components)		








- 1. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

 2. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.

Port Headings					
Product	Size				
BGW	Ports I & 2	3/4" BSPP			
BGW	Ports 3 & S	I/4" BSPP			



4	A330-006-002			SAE-2 PLUG	3
3	A330-006-004			SAE-4 PLUG	1
2	CSZNXXN			SHUTTLE VALVE	1
I	150-252-011		6061-T6 ALUMINUM	BODY	1
T E M	PART NO.	SETTING	MATERIAL	PART NAME	Q T Y
BGW		ALL DIMENSIONS IN INCH VIEWS ARE THIRD ANGLE		ANGLE	

Oct-20-23 1.467

DWG SIZE SHEET

C

SUD hydraulics