




Technical Data	U.S. Units	Metric Units			
Cavity	T - 3A				
Body Features	Ninety degree with reverse flow check				
Body Type	Line mount				
Interface	None				
Open Cavity Quantity	I				
Weight	I.578 lb.	0,716 kg.			
Mounting Hole Diameter	.28 in.	7,1 mm			
Mounting Hole Depth	Through				
Mounting Hole Quantity	2				
Includes integral cartridge(s)	Yes (see Included Components)				







## <u>Notes</u>

- 1. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

  2. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.

0 -		3.50
. 75		
1.50 —	2.50	

Port Headings				
Product Port		Size		
CNI	All Ports	SAE 6		

2	CXFA-XAN				CHECK VALVE		ı
I	150-051-004		6061-T6 ALUMI	NUM	BODY		ı
T E M	PART NO.	SETTING	MATER	IAL	PART NAME		Q T Y
MODEL C N I		ALL DIMENSIONS IN INCH VIEWS ARE THIRD ANGLE			FIRST ANGLE THIRD	ANGLE	
DESCRII	T-3A Lin	e mount reverse flow check	Apr - 04 - 24	1 . 258	DWG SIZE SHEET	SUD hydrauli	e E <b>5</b>

CNI	VIEWS ARE THIRD ANGLE					
T-3A Line mount Ninety degree with reverse flow check	Apr - 04 - 24	1 . 258	DWG SIZE	SHEET	ना	