





Technical Data	U.S. Units	Metric Units		
Cavity	T - 5A			
Body Features	Flow into workports A and B or out of A and B			
Body Type	Sandwich			
Interface	ISO 05 - X&Y			
Open Cavity Quantity	2			
Stack Height	2.49 in.	6.3 mm		
Weight	2.143 lb. 0,972 kg.			

Related Accessories									
Part Number	Description								
990-120-009	ISO 05 X and Y US sandwich manifold retainer and buna-N seal kit								
990-120-010	ISO 05 X and Y US sandwich manifold retainer and Viton seal kit								
990-120-011	ISO 05 X and Y Europe sandwich manifold retainer and Viton seal kit								
990-120-012	ISO 05 X and Y Europe sandwich manifold retainer and buna-N seal kit								










## <u>Notes</u>

- 1. Stack height value in technical data table includes seal retainer plate.

  2. This installation requires a retainer and seal kit which are purchased separately. See "Related Accessories" section.

  3. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

  4. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.
- process.



1	150-706		6061-T6 ALUMI	NUM	BODY		I
T E M	PART NO.	SETTING	MATER	IAL	PART NAME		Q T Y
MODEL D J Y		ALL DIMENSIONS IN INCH VIEWS ARE THIRD ANGLE			FIRST ANGLE	THIRD ANGLE	
DESCRIP	T-5A Sandwich	ISO 05 - X&Y for Body Features)	Oc + - 18 - 23		DWG SIZE SHEET	SUD hy	draulics®