



Technical Data	U.S. Units	Metric Units		
Cavity	T - I I A			
Body Features	Through port I with reverse flow check			
Body Type	Line mount			
Interface	None			
Open Cavity Quantity				
Weight	2.024 lb.	0,918 kg.		
Mounting Hole Thread	.375-16 UNC - 2B in.			
Mounting Hole Depth	.62 in.	15,7 mm		
Mounting Hole Quantity	2			
Includes integral cartridge(s)	Yes (see Included Components)			




	£ 9) -		
3.38-				
2.91				
		hydraulics E7A TE CODE>	2	
. 75 —			G	
0 6			2.50	



DESCRIPTION

T-IIA Line mount
Through port I with reverse flow check



DWG SIZE SHEET

C


FID hydraulics

<u>Notes</u>

- 1. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

 2. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.

Port Headings					
Product	Port	Size			
E 7 A	Ports I & 2	I/4" NPTF			
E 7 A	Port 3	I/4" NPTF			
E 7 A	Gage Port	I/4" NPTF			



2	CXDA-XCN			CHECK VALVE			-
I	151-090-001		6061-T6 ALUMINUM	BODY			I
T E M	PART NO.	SETTING	MATERIAL		PART NAME		Q T Y
MODEL	MODEL E 7 A		ALL DIMENSIONS IN VIEWS ARE THIRD		FIRST ANGLE	THIRD ANG	

Oct-17-23 | 1.114