




Technical Data	U.S. Units	Metric Units	
Cavity	T -	IIA	
Body Features	Ninety degree	with shuttle	
Body Type	Line	mount	
Interface	None		
Open Cavity Quantity		I	
Weight	0.893 lb.	0,405 kg.	
Mounting Hole Diameter	.34 in.	8.6 mm	
Mounting Hole Depth	Thro	o u g h	
Mounting Hole Quantity	í	2	







	the maximum system pressure. The
	pressure rating of the manifold is
	dependent on the manifold material,
	with the port type/size a secondary
	consideration. Manifolds
	constructed of aluminum are not
	rated for pressures higher than
	3000 psi (210 bar), regardless of
	the port type/size specified.
2.	This drawing is for reference
	only. It is generated by an
	automated process and does not fall
	under Sun's document control
	process.
	•

0 -		3.00
0 —		
. 63		
. • •		
1.25 —		

Port Headings			
Product	Port	Size	
EGV	Ports I & 2	I/2" BSPP	
FGV	Ports 3 & S	I/4" RSPP	

3	A330-006-004			SAE-4 PLUG	I
2	CSZNXXN			SHUTTLE VALVE	I
I	150-544-009		6061-T6 ALUMINUM	BODY	I
T E M	PART NO.	SETTING	MATERIAL	PART NAME	
MODEL		ALL DIMENSIONS		THIRD ANGLE	

EGV	VIEWS ARE THIRD ANGLE				[
DESCRIPTION	DATE	SCALE	DWG SIZE	SHEET	
T-IIA Line mount Ninety degree with shuttle	Nov-14-24	1.674	С		