




Technical Data	U.S. Units	Metric Units	
Cavity	T - I 3A		
Body Features	Ninety degree with reverse flow check		
Body Type	Line mount		
Interface	None		
Open Cavity Quantity			
We i ght	I.060 lb.	0,481 kg.	
Mounting Hole Diameter	.34 in.	8.6 mm	
Mounting Hole Depth	Through		
Mounting Hole Quantity	2		
Includes integral cartridge(s)	Yes (see Included Components)		








<u>Notes</u>

- 1. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

 2. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.



2	CXDA-XCN			CHECK VAL	VE	I
I	151-645-004		6061-T6 ALUMINUM	BODY		I
T E M	PART NO.	SETTING	MATERIAL		PART NAME	Q T Y
MODEL	GNP)	ALL DIMENSIONS I	N INCH	FIRST ANGLE	THIRD ANGLE

	Port Headings					
Product	Port	Size				
GNP	All Ports	SAE 8				

