




Technical Data	U.S. Units	Metric Units			
Cavity	T - I	T - I 3A			
Body Features	Ninety degree with reverse flow check				
Body Type	Line mount				
Interface	N o n e				
Open Cavity Quantity					
We i ght	1.097 lb.	0,498 kg.			
Mounting Hole Diameter	.34 in.	8.6 mm			
Mounting Hole Depth	Through				
Mounting Hole Quantity	2				
Includes integral cartridge(s)	Yes (see Included Components)				








١.	Important: Carefully consider
	the maximum system pressure. The
	pressure rating of the manifold is
	dependent on the manifold material,
	with the port type/size a secondary
	consideration. Manifolds
	constructed of aluminum are not
	rated for pressures higher than
	3000 psi (210 bar), regardless of
	the nort type/size specified

<u>Notes</u>

the port type/size specified.

2. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.



2	CXDA-XCN			CHECK VAL	VE	I
I	151-645-006		6061-T6 ALUMINUM	BODY		1
T E M	PART NO.	SETTING	MATERIAL		PART NAME	Q T Y
MODEL	GN	R	ALL DIMENSIONS II	N INCH	FIRST ANGLE THIRD	ANGLE

GNR

ALL DIMENSIONS IN INCH
VIEWS ARE THIRD ANGLE

T-13A Line mount
Ninety degree with reverse flow check

Nov-03-23

Nov-03-23

THIRD ANGLE

FIRST ANGLE

THIRD ANGLE

THIRD ANGLE

OWG SIZE SHEET

Nov-03-23

1.479

C

I

THIRD ANGLE

THIRD ANGLE

THIRD ANGLE

THIRD ANGLE

THIRD ANGLE

OWG SIZE SHEET

Nov-03-23

Port Headings				
Product	Port	Size		
GNR	All Ports	3/8" BSPP		