





| Technical Data                 | U.S. Units                    | Metric Units             |  |  |  |
|--------------------------------|-------------------------------|--------------------------|--|--|--|
| Cavity                         | T - I 7 A                     |                          |  |  |  |
| Body Features                  | Ninety degree with rever      | se flow check - reducing |  |  |  |
| Body Type                      | Line mount                    |                          |  |  |  |
| Interface                      | None                          |                          |  |  |  |
| Open Cavity Quantity           | ļ.                            |                          |  |  |  |
| Weight                         | 6.120 lb.                     | 2,776 kg.                |  |  |  |
| Mounting Hole Diameter         | .41 in.                       | 10,4 mm                  |  |  |  |
| Mounting Hole Depth            | Through                       |                          |  |  |  |
| Mounting Hole Quantity         | 2                             |                          |  |  |  |
| Includes integral cartridge(s) | Yes (see Included Components) |                          |  |  |  |










## <u>Notes</u>

- 1. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

  2. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.

| Port Headings |             |           |  |  |  |
|---------------|-------------|-----------|--|--|--|
| Product       | Port        | Size      |  |  |  |
| H 4 X         | Ports I & 2 | I" BSPP   |  |  |  |
| H 4 X         | Port 3      | 3/4" BSPP |  |  |  |
| H 4 X         | Gage Port   | I/4" BSPP |  |  |  |



|   |             |   | 1             |               | 1                   |                 |             |
|---|-------------|---|---------------|---------------|---------------------|-----------------|-------------|
| 2   | CXGDXCN     |   |               |               | CHECK V             | ALVE            | 1           |
| I   | 150-754-008 |   | 6061-T6 ALUMI | NUM           | BODY                |                 |             |
| T<br>E<br>M   | PART NO.    | SETTING                                     | MATER         | IAL           | PART NAME           |                 | Q<br>T<br>Y |
| MODEL H4X   |             | ALL DIMENSIONS IN IN<br>VIEWS ARE THIRD ANG |               |               | FIRST ANGLE THIRD   | ANGLE           |             |
| T-17A Line mount (See Technical Data for Body Features) |             | Nov-26-24                                   | 0 . 799       | DWG SIZE SHEE | <b>FUD hydrauli</b> | e<br>E <b>5</b> |             |