






Technical Data	U.S. Units	Metric Units
Cavity	T-163A	
Body Features	Ninety degree with reverse flow check - sequence	
Body Type	Line mount	
Interface	None	
Open Cavity Quantity	1	
Weight	0.835 lb.	0,379 kg.
Mounting Hole Diameter	.27 in.	8,7 mm
Mounting Hole Depth	Through	
Mounting Hole Quantity	2	
Includes integral cartridge(s)	Yes (see Included Components)	



**Notes**

1. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.
2. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.

Port Headings		
Product	Port	Size
J6U	Ports 1 & 2	3/8" BSPP
J6U	Port 3	1/4" BSPP
J6U	Gage Port	1/4" BSPP

2	CXBAXCN			CHECK VALVE	1
1	158-481-006		6061-T6 ALUMINUM	BODY	1
ITEM	PART NO.	SETTING	MATERIAL	PART NAME	QTY
	MODEL				
DESCRIPTION			ALL DIMENSIONS IN INCH VIEWS ARE THIRD ANGLE		
T-163A Line mount (See Technical Data for Body Features)			DATE	SCALE	DWG SIZE SHEET
			Aug-09-24	1.545	C 1

