




Technical Data	U.S. Units	Metric Units			
Cavity	T - I 9 A				
Body Features	Ninety degree with reverse flow check - reducing				
Body Type	Line mount				
Interface	None				
Open Cavity Quantity					
Weight	II.632 lb.	5,276 kg.			
Mounting Hole Diameter	.41 in.	IO,4 mm			
Mounting Hole Depth	Through				
Mounting Hole Quantity	2				
Includes integral cartridge(s)	Yes (see Included Components)				








## <u>Notes</u>

- 1. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

  2. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.



Port Headings					
Product	Port	Size			
K4L	Ports 1, 2, 3	SAE 12			
K4L	Gage Port	I/4" NPTF			

2	C X I D - X C N				CHEC	K VAL	VE	ı
I	151-924-004		6061-T6 ALUMINUM		BODY	BODY		
T E M	PART NO.	SETTING	MATER	IAL		PART NAME		Q T Y
MODEL	K 4 L		ALL DIMENSIONS IN INCH VIEWS ARE THIRD ANGLE			FIRST ANGLE THIRD	ANGLE	
T-19A Line mount (See Technical Data for Body Features)		Mar-II-24	0 . 6 6 0	DWG SIZE	SHEET	<b>SUD</b> hydraulio	.e	