





Technical Data	U.S. Units	Metric Units			
Cavity	T - I 7 A				
Body Features	On A with reverse flow check				
Body Type	Sandwich				
Interface	ISO 05 - X&Y				
Open Cavity Quantity	I				
Stack Height	3.99 in.	IOI mm			
Weight	4.393 lb.	l,993 kg.			
Seal Plate Included (see notes)	No				
Includes integral cartridge(s)	Yes (see Included Components)				

Related Accessories							
Part Number	Description						
990-120-009	ISO 05 X and Y US sandwich manifold retainer and buna-N seal kit						
990-120-010	ISO 05 X and Y US sandwich manifold retainer and Viton seal kit						
990-120-011	ISO 05 X and Y Europe sandwich manifold retainer and Viton seal kit						
990-120-012	ISO 05 X and Y Europe sandwich manifold retainer and buna-N seal kit						










<u>Notes</u>

- Stack height value in technical data table includes seal retainer
- data table includes seal retainer plate.

 2. This installation requires a retainer and seal kit which are purchased separately. See "Related Accessories" section.

 3. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

 4. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.
- process.



3	A330-006-004			SAE-4 PLU	G	ı
2	CXFA-XCN			CHECK VALVE		1
I	173-665		6061-T6 ALUMINUM	BODY		I
T E M	PART NO.	SETTING	MATERIAL		PART NAME	Q T Y
MODEL	MODEL U8B		ALL DIMENSIONS IN INCH VIEWS ARE THIRD ANGLE		FIRST ANGLE THIRD	ANGLE

U8B VIEWS ARE THIRD ANGLE **FUD** hydraulics DWG SIZE SHEET DESCRIPTION T-17A Sandwich ISO 05 - X&Y Sep-24-24 0.843 C On A with reverse flow check