





Technical Data	U.S. Units	Metric Units			
Cavity	T - 2 A				
Body Features	Direct mount, cross pilot				
Body Type	Gasket mount				
Interface	Sun				
Open Cavity Quantity	2				
Weight	2.736 lb.	I,241 kg.			
Mounting Hole Diameter	.42 in.	10,7 mm			
Mounting Hole Depth	Through				
Mounting Hole Quantity	2				
Mounting Hole C'bore Diameter	.59 in.	15,0 mm			
Mounting Hole C'bore Depth	.31 in.	8 mm			









<u>Notes</u>

- 1. Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

 2. This drawing is for reference only. It is generated by an automated process and does not fall under Sun's document control process.

	 (

					0 014				
2	500-001-117		N-0674-70 O-RING				1		
I	150-804-002		6061-T6 ALUMINUM BODY				I		
T E M	PART NO.	SETTING	MATER	IAL		PART NA			Q T Y
MODEL		ALL DIMENSIONS IN INCH VIEWS ARE THIRD ANGLE			FIRST ANGLE	THIRD ANG	LE		
T-2A Gasket mount Sun Direct mount, cross pilot		Jun - 22 - 23	SCALE 1.0 4	DWG SIZE	SHEET	SUD hy	draulics	®	

Port Headings ALL DIMENSIONS IN INCH VIEWS ARE THIRD ANGLE YVVPort Product Size DESCRIPTION DWG SIZE SHEET T-2A Gasket mount Sun Direct mount, cross pilot Ports C2, VI, V2 SAE 8 YVVJun-22-23 | 1.014 | C